



APart PA-CONF CONFERENCE MICROPHONE TERMINAL


APart

The APart PA-CONF is a high quality delegate microphone terminal that can be used in combination with the APart AP-CONF microphone system. The delegate unit has a solid, yet unobstructive design. The microphone base is equipped with a "SPEECH" button. Pushing this button activates the microphone and the red led on the base will lighten. The build in limiter improves the intelligibility and prevents big level differences between silent and "shouting" speeches.

The microphone base is equipped with a 3 pin XLR input in which the microphone can be plugged in. Every microphone base has a stereo jack input and output. All units can be connected via daisy chaining. This way, linking the cables to the other units is very easy (2 m cables included).

The microphone has a high quality Japanese uni-directional condenser microphone capsule. Due to the quality of the microphone, feedback problems in most cases won't occur. It has a sturdy but very elegant and slim stem with a flexible part at the top & bottom. A red LED ring on top of the microphones stem indicates if the microphone is activated.

All these features, together with the unique PA-CONF microphone system, result in a very competitive and versatile system that can be used for mobile use, presentation purposes, debates, meeting rooms (replaces the standard 10 channel microphone mixer) small conference systems and others. Installing this system takes little time and is very easy, even for non-technical people.



TECHNICAL SPECIFICATIONS

Type		Table type Condensator microphone
Polar pattern		Uni-directional cardioid
Input	Base	6.3 mm jack (1: Signal / 2: Conference power / 3: Ground)
	Microphone	XLR 3
Output		6.3 mm jack (1: Signal / 2: Conference power / 3: Ground)
Frequency range		150 Hz - 16 kHz (-3dB)
Sensitivity		-68 dB
Limiter		Build in
Light ring		Yes
Cable		6.3mm jack cable, 2 m
Dimensions	Base (H x W x D)	40 x 128 x 154 mm
	Microphone (L)	470 mm
Weight (base + mic)		1.5 Kg